

中毒、止血、燒燙傷

緊急處理


萬芳醫學中心

手術室護理長




倪承華

燒燙傷處理

表面肌肉結構圖



皮膚表層解剖圖

 <p data-bbox="846 587 974 614"><i>Epidermis</i></p>	<p data-bbox="1227 478 1568 507">First-degree burn</p> <p data-bbox="1034 547 1550 683">A first-degree burn, such as a sunburn, damages the top layer of skin called the epidermis. This type of superficial burn usually turns the skin red and causes some pain that can be treated with cold-water dressings.</p>
 <p data-bbox="846 908 974 935"><i>Epidermis</i></p> <p data-bbox="846 967 940 994"><i>Dermis</i></p>	<p data-bbox="1205 799 1590 828">Second-degree burn</p> <p data-bbox="1034 887 1585 935">Second-degree burns cause blisters damaging both the epidermis and parts of the dermis.</p>
 <p data-bbox="846 1217 974 1244"><i>Epidermis</i></p> <p data-bbox="846 1276 940 1303"><i>Dermis</i></p> <p data-bbox="846 1335 1014 1362"><i>Subcutaneous</i></p>	<p data-bbox="1218 1120 1576 1149">Third-degree burn</p> <p data-bbox="1034 1214 1594 1262">Damaging all layers of skin, third-degree burns are usually received in fires.</p>

燒燙傷

燒燙傷可分為4種程度

一般來說，燒燙傷依傷害的程度可區分為4種：

■ 一度燒燙傷：若僅僅傷及表皮，皮膚會出現紅、腫、痛的現象。

■ 淺二度燒燙傷：若是已經傷及全層表皮，皮膚會出現水泡，但癒合後較無明顯的疤痕。

■ 深二度燒燙傷：若是已經傷及真皮層，傷口癒合後會留下疤痕。

■ 三度燒燙傷：若是已經傷至表皮與真皮層，且組織壞死，並失去痛覺，傷者需接受植皮手術的治療。

通常若是輕微的燒燙傷，傷者可先用冷水沖洗後，再以冷敷或用冷水泡，其次用碘酒或稀釋的黃藥水消毒傷口，再以繃帶包紮即可。但是，若是嚴重的燒燙傷，民眾則宜牢記「沖脫泡蓋送」的五字口訣，並且速送醫治療，將傷害降到最低。

沖：用流動的冷水沖洗傷口 15~30分鐘




脱：在水中小心地去除衣物




泡：用冷水浸泡15~30分鐘

- 就臨床上浸泡可以減緩疼痛
- 如可以浸泡兩小時以上,有助於降低級數



蓋：覆蓋乾淨的毛巾



送：趕快送醫急救

